

Quality Products. Service Excellence.

Type 12 Modular Console Cabinet 1472 Series

Sloped Front







Inner Panel Included







Application

- Designed to house electrical, electronic, hydraulic or pneumatic controls and instruments.
- Heavy-duty construction provides protection from dirt, dust, oil and water. Sloping front control and instrument panels provide an ideal surface for mounting operator controls or instrumentation.
- Interior mounting is provided for with a removable inner panel located on the rear of the basic console.

Standards

- UL 508A Type 12
- CSA Type 12
- · Complies with
 - NEMA Type 12
 - o IEC 60529, IP65

Construction

- · Formed 14 gauge steel.
- Smooth, continuously welded seams, without knockouts, cutouts or holes.
- Sloped front instrument panel is continuously hinged on the front (bottom) edge and secured with captive panel screws, threaded into sealed wells.
- Front instrument panel may be removed by pulling the hinge pin.
- Flush doors are secured with a three point latch and operated with a key locking automotive type handle.
- Two door model has overlapping front doors, with three point latch on right door.
- Oil resistant gaskets are permanently secured.
- Includes a removable inner panel formed from 12 gauge steel, mounted to the back of the enclosure interior.
- Collar studs are provided for mounting inner panels.
- A bonding stud is provided on the door and a grounding stud is provided in the enclosure for each door.
- A literature pocket is provided.

Finish

- Formed and welded from 14 gauge steel.
- Sloping instrument panel and vertical rear access are completely removable.
- · Captive panel screws fasten into sealed wells.

Accessories

- Formed and welded from 14 gauge steel.
- · Fastens to the front of the console with screws


Accessories

Door Stop Kit

Type 12 Handle Kits

- Window Kits
- Lighting

- Climate Control
- General Accessories



Basic Console

	Overall Dimensions				Clear Opening Door (Opening			Sub Panel			
Part No.	Α	В	С	D	E	F	1	J	K	L	M	N	Height	Width
1472-24 ¹	40.00	24.00	20.00	36.00	17.00	5.00	19.06	27.68	20.25	28.94	2.56	2.62	18.75	27.25
1472-36 ¹	36.00	36.00	24.00	32.00	20.00	10.00	31.06	21.56	32.25	22.88	4.81	2.00	30.00	32.00
1472-48 ¹ , ²	36.00	48.00	24.00	32.00	20.00	10.00	43.06	21.56	44.25	22.88	4.81	2.00	42.00	32.00

¹ UL Listed

Panel

Console	Console Control Panel				Turret Instrument Panel				Turret Rear Access Panel			
Part No.	Height	Width	Openir	ng Size	Height	Width	Openi	ng Size	Height	Width	Openi	ng Size
1472-24	13.96	23.18	12.50	21.50	14.91	23.18	13.37	21.62	12.31	20.18	10.75	18.62
1472-36	13.00	35.18	11.50	33.50	19.18	35.18	17.62	33.62	16.31	32.18	14.75	30.62
1472-48	13.00	47.18	11.50	45.50	19.18	47.18	17.62	45.62	16.31	44.18	14.75	42.62

Turret

Part No.	В	F	G	Н
1472-24T	24.00	5.00	16.00	3.00
1472-36T	36.00	10.00	20.00	6.00
1472-48T	48.00	10.00	20.00	6.00

Writing Surface

Part No.	Width	Depth	Height
1472-24W	24.00	10.00	4.00
1472-36W	36.00	10.00	4.00
1472-48W	48.00	10.00	4.00

² 2 Door Version

Data subject to change without notice

© 2018. Hammond Manufacturing Ltd. All rights reserved.